

In re Application of: Smith

Application No. 10/030,317

Filed: October 19, 2003

For: APPARATUS AND METHOD FOR MEASURING DECAY IN
INTENSITY OF ELECTROMAGNETIC RADIATION IN
MULTIPASS SPECTROMETRY

Mail Stop Non Fee Amendment
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

Transmitted herewith is a response to an office action in the subject application.

- Small entity status is claimed for this application under 37 CFR 1.27.
- Petition for an extension of time for the period noted below, as well as for any additional period necessary to render the present submission timely. Please charge Deposit Account No. 12-1216 for the appropriate petition fee.
- Other:
- Please charge Deposit Account No. 12-1216 in the total amount indicated below. A duplicate copy of this transmittal sheet is enclosed herewith.

File Only

					SMALL ENTITY	OTHER THAN A SMALL ENTITY		
TIME EXTENSION PETITION FEE		One-month			\$ 0.00	\$110.00		
	subtract time extension fee previously paid	none			(\$ 0.00)	(\$ 0.00)		
CLAIM FEE	CLAIMS REMAINING AFTER AMENDMENT		HIGHEST NUMBER PREVIOUSLY PAID FOR	EXTRA CLAIMS PRESENT	RATE	ADDT. CLAIM FEE	RATE	
TOTAL	22	MINUS	22	=0	x 9=	\$	x 18=	\$0.00
INDEPENDENT	2	MINUS	3	=0	x 43=	\$	x 86=	\$0.00
<input type="checkbox"/> FIRST PRESENTATION OF MULTIPLE CLAIM					+ 145=	\$	+ 290=	\$
TOTAL AMOUNT TO BE CHARGED TO DEPOSIT ACCOUNT					TOTAL	\$	TOTAL	\$110.00

01/31/2005 JWI11111 00000000 121216 10030517

- 01 FC:1251 The Commissioner is hereby authorized to charge any deficiencies in the following fees associated with this communication or credit any overpayment to Deposit Account No. 12-1216.
- Any filing fees under 37 CFR 1.16 for the presentation of extra claims.
- Any patent application processing fees under 37 CFR 1.17.

Respectfully submitted,
LEYDIG, VOIT & MAYER, LTD.

By 
Pamela J. Ruschau, Reg. No. 34,242

Leydig, Voit & Mayer, Ltd.
Two Prudential Plaza, Suite 4900
180 North Stetson Avenue
Chicago, Illinois 60601-6780
(312) 616-6600 (telephone)
(312) 616-5700 (facsimile)